

### MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY

BREATH ALCOHOL PROGRAM

### INTOX EC/IR II MAINTENANCE REPORT

**RECEIVED** 

-	of the regular monthly preventive	Carol Day at 1:35 pm, Jul 09, 2015		
days). Complete this report when	ever the instrument is serviced of	affect and whenever it is praced		
	and send a copy within 15 days to th			
INTOX EC/IR II SN	NAME OF AGENCY	DATE OF INSPECTION		
12679	Chesterfield PD	07/08/2015		
LOCATION OF INSTRUMENT (STREET AND CI	TY)	TIME OF INSPECTION		
690 Chesterfield Pkwy W Chest		19:45 CDT		
CHECKLIST: Place a mark in the b	ox by each item if found to be satisfa	ctory or is operating within		
	served values where determined). Unma	rked items must be corrected		
before using instrument.				
X DIAGNOSTIC RECORD				
X BLANK CHECK	X CO2 CHECK			
X FC 1 TEMP	X FLOW CHECK			
X SRC TEMP	X FCB CHECK			
X DET TEMP	X CRC COMP CH	ECK		
X BT TEMP	X CRC CAL CHE			
	The state of the s	CK		
X STD 2 TEMP	X PRINT TEST			
X ETH CHECK				
BREATH ANALYZER ACCURACY STAN	DARDS			
SIMULATOR SOLUTION	X COMPRESSED	ETHANOL-GAS MIXTURE		
X STANDARD SUPPLIER INT	OXIMETERS LOT# AG326802			
SIMULATOR TEMP (34°C +0.2°C	S)   SIMULATOR S/N	SIMULATOR EXP DATE		
DIMOLATOR TEMP (54 C ±0.2 C	SINGLATOR S/N	DINOMITOR BAT BATT		
		*		
X CALIBRATION CHECK - (ONLY	ONE STANDARD IS TO BE USED PER MAI	NTENANCE REPORT)		
Run three tests using a sta	undard solution. All three tests,	must be within +5% of the standard value		
	005 or less. Mark the box corres	ponding to the standard solution being		
DDINTOIT ATTACK				
used. (PRINTOUT ATTACHED)		3		
0.10% STANDARD - MUST RE	AD BETWEEN 0.095% AND 0.105% INCLU	SIVE		
0.10% STANDARD - MUST RE	AD BETWEEN 0.095% AND 0.105% INCLU AD BETWEEN 0.076% AND 0.084% INCLU	SIVE		
0.10% STANDARD - MUST REX		SIVE		
0.10% STANDARD - MUST REA 0.08% STANDARD - MUST REA 0.04% STANDARD - MUST REA	AD BETWEEN 0.076% AND 0.084% INCLU	SIVE SIVE SIVE		
0.10% STANDARD - MUST REX	AD BETWEEN 0.076% AND 0.084% INCLU	SIVE		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L	AD BETWEEN 0.076% AND 0.084% INCLU AD BETWEEN 0.038% AND 0.042% INCLU	SIVE SIVE SIVE TEST 3 ** 0.079 g/210L		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L	AD BETWEEN 0.076% AND 0.084% INCLU AD BETWEEN 0.038% AND 0.042% INCLU TEST 2 0.079 g/210L	SIVE SIVE SIVE TEST 3 © 0.079 g/210L		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L	AD BETWEEN 0.076% AND 0.084% INCLU AD BETWEEN 0.038% AND 0.042% INCLU TEST 2 0.079 g/210L	SIVE SIVE SIVE TEST 3 ** 0.079 g/210L		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY DESCRIBE AND DES	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L TESTS IN THE FOLLOWING RANGES SI .0509 0 .1014 0 LITERATION OR MODIFICATION THAT WAS MADE TO	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  1519 0 OVER .19 0		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY DESCRIBE AND DES	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L TESTS IN THE FOLLOWING RANGES SI .0509 0 .1014 0	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  1519 0 OVER .19 0		
0.10% STANDARD - MUST REZ  0.08% STANDARD - MUST REZ  0.04% STANDARD - MUST REZ  TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH  REFUSALS 0 004 0  LIST ANY NEW PARTS AND DESCRIBE ANY Z  SATISFACTORILY AND WITHIN ESTABLISHER	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L  I TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  1519 0 OVER .19 0		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY DESCRIBE AND DES	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L  I TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  1519 0 OVER .19 0		
0.10% STANDARD - MUST REZ  0.08% STANDARD - MUST REZ  0.04% STANDARD - MUST REZ  TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH  REFUSALS 0 004 0  LIST ANY NEW PARTS AND DESCRIBE ANY Z  SATISFACTORILY AND WITHIN ESTABLISHER	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L  I TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  1519 0 OVER .19 0		
0.10% STANDARD - MUST REZ  0.08% STANDARD - MUST REZ  0.04% STANDARD - MUST REZ  TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH  REFUSALS 0 004 0  LIST ANY NEW PARTS AND DESCRIBE ANY Z  SATISFACTORILY AND WITHIN ESTABLISHER	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L  I TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  1519 0 OVER .19 0		
0.10% STANDARD - MUST REZ 0.08% STANDARD - MUST REZ 0.04% STANDARD - MUST REZ TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH  REFUSALS 0 004 0  LIST ANY NEW PARTS AND DESCRIBE ANY Z SATISFACTORILY AND WITHIN ESTABLISHED  MAUI MAINTENANCE TEST CORDIA	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L  I TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  1519 0 OVER .19 0		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ASSATISFACTORILY AND WITHIN ESTABLISHED MAUI MAINTENANCE TEST CORDIA: INSPECTING OFFICER	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L  I TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  1519 0 OVER .19 0		
0.10% STANDARD - MUST REZ 0.08% STANDARD - MUST REZ 0.04% STANDARD - MUST REZ TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH  REFUSALS 0 004 0  LIST ANY NEW PARTS AND DESCRIBE ANY Z SATISFACTORILY AND WITHIN ESTABLISHED  MAUI MAINTENANCE TEST CORDIA	AD BETWEEN 0.076% AND 0.084% INCLU- AD BETWEEN 0.038% AND 0.042% INCLU- TEST 2 0.079 g/210L TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0 LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  RESTORE THE INSTRUMENT TO OPERATE		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY DESCRIBE ANY DESCRIBE ANY DESCRIBE ANY DESCRIBE ANY DESCRIPTION OF THE STANDARD WITHIN ESTABLISHED MAUI MAINTENANCE TEST CORDIA:  INSPECTING OFFICER SIGNETURE TYPE INTERNATION NUMBER  EXEMPTOR	TEST 2 0.079 g/210L  TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).  .32  PRINT FULL NAME CORDIA, TERM TELEPHONE NUMBER	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  RESTORE THE INSTRUMENT TO OPERATE		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED 0.04% STANDARD - MUST RED TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY DESCRIBE ANY DESCRIBE ANY DESCRIBE ANY DESCRIBE ANY DESCRIPTION OF THE STANDARD WITHIN ESTABLISHED MAUI MAINTENANCE TEST CORDIA:  INSPECTING OFFICER SIGNETURE TYPE INTERNATION NUMBER  EXEMPTOR	TEST 2 0.079 g/210L  TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).  .32	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  RESTORE THE INSTRUMENT TO OPERATE		
0.10% STANDARD - MUST REZ 0.08% STANDARD - MUST REZ 0.04% STANDARD - MUST REZ TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH  REFUSALS 0 004 0  LIST ANY NEW PARTS AND DESCRIBE ANY SATISFACTORILY AND WITHIN ESTABLISHED  MAUI MAINTENANCE TEST CORDIA:  INSPECTING OFFICER  SIGNATURE  TYPE III PERMIT NUMBER EXTENTION OF THE EXTENT OF THE EXTENTION OF THE EXTENTION OF THE EXTENTION OF THE EXTEN	TEST 2 0.079 g/210L  TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).  32  PRINT FULL NAME CORDIA, TERM TELEPHONE NUMBER (636)537-30	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  RESTORE THE INSTRUMENT TO OPERATE		
0.10% STANDARD - MUST REJ 0.08% STANDARD - MUST REJ 0.04% STANDARD - MUST REJ 0.04% STANDARD - MUST REJ TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ASSATISFACTORILY AND WITHIN ESTABLISHED MAUI MAINTENANCE TEST CORDIAL INSPECTING OFFICER SIGNETURE TYPE INTERNATIONAL EXECUTION OFFICER 230283 11	TEST 2 0.079 g/210L  TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).  .32  PRINT FULL NAME CORDIA, TERM TELEPHONE NUMBER (636) 537-30  TO THE:	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  RESTORE THE INSTRUMENT TO OPERATE		
0.10% STANDARD - MUST RED 0.08% STANDARD - MUST RED 0.04% STANDARD - MUST RED 10.04% STANDARD - MUST RED TEST 1 0.079 g/210L  INDICATE THE NUMBER OF BREATH REFUSALS 0 004 0  LIST ANY NEW PARTS AND DESCRIBE ANY ASATISFACTORILY AND WITHIN ESTABLISHED MAUI MAINTENANCE TEST CORDIA:  INSPECTING OFFICER SIGNATURE 230283 11  RETURN COMPLETED REPORT Breath Alcohol Program, M:	TEST 2 0.079 g/210L  TESTS IN THE FOLLOWING RANGES SI  .0509 0 .1014 0  LITERATION OR MODIFICATION THAT WAS MADE TO LIMITS (USE OTHER SIDE IF NECESSARY).  32  PRINT FULL NAME CORDIA, TERM TELEPHONE NUMBER (636)537-30	SIVE SIVE  TEST 3 0.079 g/210L  NCE THE LAST MAINTENANCE REPORT:  .1519 0 OVER .19 0  RESTORE THE INSTRUMENT TO OPERATE  RY  00  ad Senior Services,		



### Airgas USA LLC (LAB)

3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

# **Certificate of Analysis**

**Customer Name** 

Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 <u>Test Date:</u> 26-Sep-2013

Morsola Rod Marsala

Lot # AG326802

 Exp. Date
 Cyl. Type
 Component
 Certified Concentration

 25-Sep-2015
 108
 Ethanol
 0.080 ± 0.002 BrAC (218 ppm)

 Nitrogen
 Balance

#### Certification Traceable to N.I.S.T. RGM Ethanol Standards:

Serial No.	<u>Concentration</u>	<u>Serial No.</u>	<u>Concentration</u>
EB0010581	391.8 ppm	EB0010603	392.5 ppm
EB0010570	259.8 ppm	EB0010559	258.9 ppm
EB0010285	209.0 ppm	EB0010595	208.9 ppm
EB0010561	103.7 ppm	EB0010562	104.9 ppm
EB0010681	52.22 ppm	EB0010579	52.94 ppm

Analytical Method: NDIR

Digitally signed by Quality Control Date: 2013.09.26 13:14:36 -05:00 Reason: Dry gas standard certification of analysis Location: Airgas USA LLC (Lab)

Analyst:

ISO 17025:2005 A2LA accredited. Certificate Number 2989.01



## STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES **BREATH ALCOHOL PROGRAM** 



# **PERMIT** TYPE II TERRY L CORDIA

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

## **INTOX EC/IR II**

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

DATE 11/26/2013	huns		
		DIRECTOR OF STATE PUBLIC HEALTH LABORATORY	
NUMBER	230283	Dal Vasterly	
EXPIRES	11/26/2015	acting director DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES	

MO 580-0771 (6-10)

LAB-4 (R6-10)



**Date Expires** 11/26/2015

Permit No

230283 Date Issued 11/26/2013

### 230283

# RECEIVED 820 P. 18

By Carol Day at 8:57 am, Nov 26, 2013

DHSS Breath Alcohol Program

**APPROVED** 

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES By Brian Lutmer at 10:56 am, Nov 26, 2013 STATE PUBLIC HEALTH LABORATORY

B A	REATH ALCOHOL PH APPLICATION FOR	TYPE II PERMIT	FOR OPER	RATION OF BREATH ALCOHOL.	ANALYZERS	
THIS APPLICATION I	S FOR	CURRENT P	ERMIT NUMBER A	ND EXPIRATION DATE		
PRINT FULL NAME		1		Patrolman		502
Terr	y h. (0	rdia	A di	sclosure concerning your SSN number http://www.health.mo.gov/lab/breat	er is avallable a	at:
DEPARTMENT OR TO	ROOP Cial	Police De	on Am	/	TELEPHONE	37-3000
BUSINESS ADDRES	S (STREET, CITY, STATE 21PC			Chesterfield Mo	63017	
EMAIL ADDRESS	dia e che	esterfield	L. mo	,US		
	LIST ALL O	RIGINAL TRAINING a checkmark besid	G COURSES le ALL breat	S FOR OPERATION OF BREATH AN th analyzer(s) for which you are rec	ALYZERS questing a per	mit.)
DATES OF COURSE	LOCATION	DF COURSE .	COURSE LENGTH (HRS.)	NAME & MODEL OF BREATH ANALY	ZEA PLANTING	MAME OF INSTRUCTOR
1984	Missouri Hig	hway Patrol	80	900 900A Swith & WKEO	n 1	I haikart
1923	CMSU _		24	CMSU		Welsh
11-21-13	MODOT.C	enter_	15	ECIR 2		Wesh
						111
List the manu	facturer and name o	f instruments for t	which you a	re currently performing maintenant	ce reports on	and the humber of
MAN	UPACTURER AND NAM	E OF INSTRUMENT	N	UMBER OF MAINTENANCE REPORTS		ELF-TESTS
1,	INTOX EC/IR I			10 MR'S OK BML		BML
2.		·				
3,						
When adding a new instrument, you receive a new two (2) year permit. Therefore, normal renewal procedures apply for the instrument(s) on your current permit that you wish to transfer to the new permit. Disregarding these renewal procedures will result in a new permit for the new instrument only.						
To renew a Type II Permit, the applicant shall have completed two (2) Maintenance Reports and shall have performed at least ten (10) tests on drinking subjects in the past year on each instrument for which renewal is requested. If these conditions are not met, or the permit has expired for more than thirty (30) days, the applicant shall perform two (2) Maintenance Reports and five (5) self-administered tests for each breath analyzer for which renewal is requested. Copies of the Maintenance Reports along with the Operational checklists and printouts for the five (5) self-administered tests shall accompany the application for renewal.						
SIGNATURE OF APP	HICANT J (msk)				DATE //- 2/-	13
RETURN COR	APLETED APPLICATI	. \$	reath Alcoho outheast Dis 878 James E opiar Bluff, N	Blvd.	ealth and Senl	or Services